ELSEVIER

Neuroscience Letters 244 (1998) 180–182

Neuroscience Letters

Author Index to Volume 244

Abe, K., see Nagai, M., 165
Abel, F., see Deckert, J., 1
Amaducci, L., see Nacmias, B., 85
Amaducci, L., see Sorbi, S., 118
Anderson, C.W., Nishikawa, K.C., Keifer, J., Distribution of hypoglossal motor neurons innervating the prehensile tongue of the African pig-nosed frog, *Hemisus marmoratum*, 5
Ando, H., Mishina, M., Efficient mutagenesis of zebrafish by a DNA cross-linking agent, 81
Angelis, P., Scharf, S., Mander, A., Vajda, F., Christophidis, N., Serum interleukin-6 and interleukin-6 soluble receptor in Alzheimer's disease, 106

Böhm, W., see Seitz, G., 33
Banaie, A., see Sang U, H., 41
Baudoin, C., see Puma, C., 97
Beck, J.F., see Seitz, G., 33
Bizot, J.-C., see Puma, C., 97
Blitzer, R.D., see Nouranifar, R., 101
Bruchelt, G., see Seitz, G., 33
Budd, D.C., Nicholls, D.G., Arachidonic acid potentiates the duration of the metabotropic, protein kinase C-mediated, suppression of the inhibitory adenosine A1 receptor pathway in glutamatergic nerve terminals from rat cerebral cortex, 133
Buss, R.R., see Shefchyk, S.J., 137

Chen, J., see Sang U, H., 41
Christophidis, N., see Angelis, P., 106
Chun, M.-H., see Kim, I.-B., 52
Clarizia, A.D., Romano-Silva, M.A., Prado, V.F., Gomez, M.V., Prado, M.A.M., Role of protein kinase C in the release of [^{3}H]acetylcholine from myenteric plexus treated with vesamicol, 115
Cook, J., see Williams, C.A., 141

Daneluzzo, E., see Sorbi, S., 118
Deckert, J., Abel, F., Künig, G., Hartmann, J., Senitz, D., Maier, H., Ransmayr, G., Riederer, P., Loss of human hippocampal adenosine A_1 receptors in dementia: evidence for lack of specificity, 1
DeKosky, S.T., see Kamboh, M.I., 65
Desjardins, P., Ledoux, S., Expression of *ced-3* and *ced-9* homologs in Alzheimer"s disease cerebral cortex, 69
Dey, R.D., see Robertson, B.S., 77
Dong, K., see Farid Ahmed, A.K.M., 47
Dong-Ruyl, L., Sawada, M., Nakano, K., Tryptophan and its metabolite, kynurenine, stimulate expression of nerve growth factor in cultured mouse astroglial cells, 17
Doppelmayr, M., see Klimesch, W., 73
Dun, N.J., see Williams, C.A., 141

Estevez, A.Y., see Phillis, J.W., 109

Fäth, A., see Meyding-Lamadé, U., 9
Fang, J., see Kushikata, T., 125
Farid Ahmed, A.K.M., Dong, K., Hanna, G.F.B., Yamadori, T., Retrograde double-labeling study of retinal ganglion cells from the ipsilateral vLGN and SC in the albino rat, 47
Ferrell, R.E., see Kamboh, M.I., 65
Forleo, P., see Nacmias, B., 85
Forleo, P., see Sorbi, S., 118
Fulga, I., Stone, T.W., Comparison of an adenosine A1 receptor agonist and antagonist on the rat EEG, 55

Gebhardt, S., see Seitz, G., 33
Gomez, M.V., see Clarizia, A.D., 115
Guarnieri, B.M., see Sorbi, S., 118

Haas, J., see Meyding-Lamadé, U., 9
Hammond, D.L., Nelson, V., Thomas, D.A., Intrathecal methysergide antagonizes the antinociception, but not the hyperalgesia produced by microinjection of baclofen in the ventromedial medulla of the rat, 93
Hanna, G.F.B., see Farid Ahmed, A.K.M., 47
Hartmann, D., Ziegenhagen, M.W., Sievers, J., Meningeal cells stimulate neuronal migration and the formation of radial glial fascicles from the cerebellar external granular layer, 129
Hartmann, J., see Deckert, J., 1
Hashimoto, M., see Hossain, M.S., 157
Hayakawa, T., see Yoshimine, T., 153
Heinrich, K., see Meyding-Lamadé, U., 9
Hirano, S.-i., see Yoshimine, T., 153
Hirohashi, S., see Takagi, Y., 149
Hossain, M.S., Hashimoto, M., Masumura, S., Influence of docosahexaenoic acid on cerebral lipid peroxide level in aged rats with and without hypercholesterolemia, 157

Igbavboa, U., see Simonyi, A., 29
Ikeda, A., see Yazawa, S., 145
Inokuchi, K., see Matsuo, R., 173
Ishizuka, Y., see Shimokawa, A., 21
Itoyama, Y., see Nagai, M., 165

Ji, Y., Mei, J., Lu, S., Opposing effects of intracerebroventricularly injected norepinephrine on oxytocin and vasopressin neurons in the paraventricular nucleus of the rat, 13
Jin, Q.-H., see Shimokawa, A., 21
Jung, M., see Schäfer, K.-H., 177

PII S0304-3940(98)00201-8

Künig, G., see Deckert, J., 1
Kamboh, M.I., Ferrell, R.E., DeKosky, S.T., Genetic association studies between Alzheimer's disease and two polymorphisms in the low density lipoprotein receptor-related protein gene, 65
Kannan, H., see Shimokawa, A., 21
Kato, A., see Matsuo, R., 173
Kato, A., see Yoshimine, T., 153
Kato, N., Makino, M., Mizuno, K., Suzuki, T., Shindo, M., Serial changes of sensory nerve conduction velocity and minimal F-wave latency in streptozotocin-induced diabetic rats, 169
Kawai, Y., see Wang, Y., 25
Kehm, R., see Meyding-Lamadé, U., 9
Keifer, J., see Anderson, C.W., 5
Kim, I.-B., Oh, S.-J., Nielsen, S., Chun, M.-H., Immunocytochemical localization of Aquaporin 1 in the rat retina, 52
Kim, K.T., see Shin, J.S., 161
Kimura, J., see Yazawa, S., 145
King, J.W., Kutas, M., Neural plasticity in the dynamics of human visual word recognition, 61
Klimesch, W., Doppelmayr, M., Russegger, H., Pachinger, T., Schwaiger, J., Induced alpha band power changes in the human EEG and attention, 73
Koulchitsky, S.V., Are the capsaicin-sensitive structures of ventral medulla involved in the temperature response to endotoxin in rats?, 112
Krueger, J.M., see Kushikata, T., 125
Kunieda, T., see Yazawa, S., 145
Kunitake, T., see Shimokawa, A., 21
Kushikata, T., Takahashi, S., Wang, Y., Fang, J., Krueger, J.M., An interleukin-1 receptor fragment blocks ambient temperature-induced increases in brain temperature but not sleep in rabbits, 125
Kutas, M., see King, J.W., 61

Lamadé, W., see Meyding-Lamadé, U., 9
Landau, E., see Nouranifar, R., 101
Latorraca, S., see Nacmias, B., 85
Latorraca, S., see Sorbi, S., 118
Leanza, G., Stanzani, S., Extensive and permanent motoneuron loss in the rat lumbar spinal cord following neurotoxic lesion at birth: morphological evidence, 89
Ledoux, S., see Desjardins, P., 69
Lee, M.K., see Shin, J.S., 161
Lode, H.N., see Seitz, G., 33
Lu, S., see Ji, Y., 13

Maier, H., see Deckert, J., 1
Makino, M., see Kato, N., 169
Mander, A., see Angelis, P., 106
Marcon, G., see Nacmias, B., 85
Maruno, M., see Yoshimine, T., 153
Masumura, S., see Hossain, M.S., 157
Matsuo, R., Kato, A., Sakaki, Y., Inokuchi, K., Cataloging altered gene expression during rat hippocampal long-term potentiation by means of differential display, 173
Mei, J., see Ji, Y., 13
Mestres, P., see Schäfer, K.-H., 177
Meyding-Lamadé, U., Haas, J., Lamadé, W., Stingele, K., Kehm, R., Fäth, A., Heinrich, K., Storch Hagenlocher, B., Wildemann, B., Herpes simplex virus encephalitis: long-term comparative study of viral load and the expression of immunologic nitric oxide synthase in mouse brain tissue, 9
Mima, T., see Yazawa, S., 145
Mishina, M., see Ando, H., 81
Miyake, T., see Takagi, Y., 149
Mizuno, K., see Kato, N., 169

Nacmias, B., Marcon, G., Tedde, A., Forleo, P., Latorraca, S., Piacentini, S., Amaducci, L., Sorbi, S., Implication of α1-antichymotrypsin polymorphism in familial Alzheimer's disease, 85
Nacmias, B., see Sorbi, S., 118
Nagai, M., Abe, K., Okamoto, K., Itoyama, Y., Identification of alternative splicing forms of GLT-1 mRNA in the spinal cord of amyotrophic lateral sclerosis patients, 165
Nagamine, T., see Yazawa, S., 145
Nakagawa, Y., see Yoshimine, T., 153
Nakano, K., see Dong-Ruyl, L., 17
Nakashima, K., see Wang, Y., 25
Nelson, V., see Hammond, D.L., 93
Nicholls, D.G., see Budd, D.C., 133
Nielsen, S., see Kim, I.-B., 52
Niethammer, D., see Seitz, G., 33
Nishikawa, K.C., see Anderson, C.W., 5
Nishikawa, T., see Yoshimine, T., 153
Nouranifar, R., Blitzer, R.D., Wong, T., Landau, E., Metabotropic glutamate receptors limit adenylyl cyclase-mediated effects in rat hippocampus via protein kinase C, 101

Oh, S.-J., see Kim, I.-B., 52
Ohara, S., see Yazawa, S., 145
Okamoto, K., see Nagai, M., 165
O'Regan, M.H., see Phillis, J.W., 109
Ortenzi, L., see Sorbi, S., 118

Pachinger, T., see Klimesch, W., 73
Petruzzi, C., see Sorbi, S., 118
Phillis, J.W., Estevez, A.Y., O'Regan, M.H., Protective effects of the free radical scavengers, dimethyl sulfoxide and ethanol, in cerebral ischemia in gerbils, 109
Piacentini, S., see Nacmias, B., 85
Piacentini, S., see Sorbi, S., 118
Prado, M.A.M., see Clarizia, A.D., 115
Prado, V.F., see Clarizia, A.D., 115
Puma, C., Baudoin, C., Bizot, J.-C., Effects of intraseptal infusions of *N*-methyl-D-aspartate receptor ligands on memory in an object recognition task in rats, 97

Ransmayr, G., see Deckert, J., 1
Riederer, P., see Deckert, J., 1
Rigby, L., see Sang U, H., 41
Robertson, B.S., Satterfield, B.E., Said, S.I., Dey, R.D., *N*-Methyl-D-aspartate receptors are expressed by intrinsic neurons of rat larynx and esophagus, 77
Romano-Silva, M.A., see Clarizia, A.D., 115
Roques, B.P., see Valverde, O., 37
Russegger, H., see Klimesch, W., 73

Said, S.I., see Robertson, B.S., 77

Sakaki, Y., see Matsuo, R., 173
Sang U, H., Banaie, A., Rigby, L., Chen, J., Mutant p53 may selectively suppress glial specific proteins in pluripotential human neuroectodermal tumor cells, 41
Satterfield, B.E., see Robertson, B.S., 77
Sawada, M., see Dong-Ruyl, L., 17
Schäfer, K.-H., Jung, M., Mestres, P., Protein extracts from the gut wall influence the postnatal development of rat myenteric neurons in vitro, 177
Scharf, S., see Angelis, P., 106
Schwaiger, J., see Klimesch, W., 73
Seitz, G., Gebhardt, S., Beck, J.F., Böhm, W., Lode, H.N., Niethammer, D., Bruchelt, G., Ascorbic acid stimulates DOPA synthesis and tyrosine hydroxylase gene expression in the human neuroblastoma cell line SK-N-SH, 33
Senitz, D., see Deckert, J., 1
Shefchyk, S.J., Buss, R.R., Urethral pudendal afferent-evoked bladder and sphincter reflexes in decerebrate and acute spinal cats, 137
Shibasaki, H., see Yazawa, S., 145
Shimokawa, A., Jin, Q.-H., Ishizuka, Y., Kunitake, T., Takasaki, M., Kannan, H., Effects of anesthetics on norepinephrine release in the hypothalamic paraventricular nucleus region of awake rats, 21
Shin, J.S., Kim, K.T., Lee, M.K., Inhibitory effects of bulbocapnine on dopamine biosynthesis in PC12 cells, 161
Shindo, M., see Kato, N., 169
Shiraishi, Y., see Wang, Y., 25
Sievers, J., see Hartmann, D., 129
Simonyi, A., Xia, J., Igbavboa, U., Wood, W.G., Sun, G.Y., Age differences in the expression of metabotropic glutamate receptor 1 and inositol 1,4,5-trisphosphate receptor in mouse cerebellum, 29
Sorbi, S., Nacmias, B., Tedde, A., Latorraca, S., Forleo, P., Guarnieri, B.M., Petruzzi, C., Daneluzzo, E., Ortenzi, L., Piacentini, S., Amaducci, L., No implication of apolipoprotein E polymorphism in Italian schizophrenic patients, 118
Sorbi, S., see Nacmias, B., 85
Stanzani, S., see Leanza, G., 89
Stingele, K., see Meyding-Lamadé, U., 9
Stone, T.W., see Fulga, I., 55
Storch Hagenlocher, B., see Meyding-Lamadé, U., 9
Sun, G.Y., see Simonyi, A., 29
Suzuki, T., see Kato, N., 169

Takagi, Y., Ui-Tei, K., Miyake, T., Hirohashi, S., Laminin-dependent integrin clustering with tyrosine-phosphorylated molecules in a *Drosophila* neuronal cell line, 149
Takahashi, S., see Kushikata, T., 125
Takasaki, M., see Shimokawa, A., 21
Takeda, M., see Yoshimine, T., 153
Taki, W., see Yazawa, S., 145
Tanabe, H., see Yoshimine, T., 153
Taniguchi, M., see Yoshimine, T., 153
Tedde, A., see Nacmias, B., 85
Tedde, A., see Sorbi, S., 118
Terada, K., see Yazawa, S., 145
Thomas, D.A., see Hammond, D.L., 93
Tinazzi, M., Zanette, G., Modulation of ipsilateral motor cortex in man during unimanual finger movements of different complexities, 121

Ui-Tei, K., see Takagi, Y., 149

Vajda, F., see Angelis, P., 106
Valverde, O., Roques, B.P., Cholecystokinin modulates the aversive component of morphine withdrawal syndrome in rats, 37

Wang, Y., see Kushikata, T., 125
Wang, Y., Shiraishi, Y., Kawai, Y., Nakashima, K., Cortical anesthesia reduced the amplitude of local P300 event-related potential in rabbits by auditory oddball paradigm, 25
Wildemann, B., see Meyding-Lamadé, U., 9
Williams, C.A., Wu, S.Y., Cook, J., Dun, N.J., Release of nociceptin-like substances from the rat spinal cord dorsal horn, 141
Wong, T., see Nouranifar, R., 101
Wood, W.G., see Simonyi, A., 29
Wu, S.Y., see Williams, C.A., 141

Xia, J., see Simonyi, A., 29

Yamadori, T., see Farid Ahmed, A.K.M., 47
Yazawa, S., Ikeda, A., Kunieda, T., Mima, T., Nagamine, T., Ohara, S., Terada, K., Taki, W., Kimura, J., Shibasaki, H., Human supplementary motor area is active in preparation for both voluntary muscle relaxation and contraction: subdural recording of Bereitschaftspotential, 145
Yoshimine, T., Tanabe, H., Maruno, M., Kato, A., Hirano, S.-i., Taniguchi, M., Nakagawa, Y., Nishikawa, T., Takeda, M., Hayakawa, T., Aberrant muscle activation in patients after resection of non-primary motor areas: demonstration by surface electromyography, 153

Zanette, G., see Tinazzi, M., 121
Ziegenhagen, M.W., see Hartmann, D., 129